



REV.	DESCRIPTION	DATE	BY




Ø21/32 HOLE 2 PLCS.



OPTIONAL SNUBBING WASHER
P/N 148099-17
Ø3 1/4 X 1 I.D. X 1/4 THK

RECOMMENDED CLEARANCE



NOTES:

- △ 1 INK STAMP MODEL NUMBER IN APPROXIMATE LOCATION SHOWN.
- △ 2 COLOR-CODE "MARK" IS AN ACCEPTABLE ADDITION TO MODEL STAMPING.
- △ 3 MARKING AS SHOWN, EMBOSSED RAISED LETTERS.

4. UNIT WEIGHT: 5.8 LBS

MODEL LF4 SNUBBED ELASTOMERIC ISOLATOR				
PART NO.	MODEL NUMBER	DUROMETER ±5	COLOR	COMPOUND
770055-1	LF4-1200	40	RED	NEOPRENE
770055-2	LF4-1600	50	GREEN	NEOPRENE
770055-3	LF4-2100	60	YELLOW	NEOPRENE
770055-4	LF4-2800	70	BLUE	BRIDGE BEARING NEOPRENE

CERTIFIED FOR:

JOB NAME: _____
 CUSTOMER : _____
 CUSTOMER P.O.: _____
 SALES ORDER: _____

**MODEL LF4 1200-2800 LBS.
 SNUBBED ELASTOMERIC ISOLATOR**





THE VMC GROUP
The Power of Together
 Bloomingdale, NJ 07403
 Houston, TX 77041

SCALE :
 NONE
 SHEET:
 1 OF 3



DRAWING NO.: _____ REVISION

REV.	DESCRIPTION	DATE	BY



OTHER MATERIALS, COMPOUNDS, OR FINISHES WITH EQUAL OR SUPERIOR PROPERTIES MAY BE SUBSTITUTED AS THEY BECOME AVAILABLE.

CERTIFIED FOR:

JOB NAME: _____
 CUSTOMER : _____
 CUSTOMER P.O.: _____
 SALES ORDER: _____

**MODEL LF4 1200-2800 LBS.
 SNUBBED ELASTOMERIC ISOLATOR**




THE VMC GROUP
The Power of Together
 Bloomingdale, NJ 07403
 Houston, TX 77041

SCALE :
 NONE
 SHEET:
 2 OF 3



DRAWING NO.: _____ REVISION _____

REV.	DESCRIPTION	DATE	BY



TYPICAL INSTALLATION CONFIGURATIONS

OTHER MATERIALS, COMPOUNDS, OR FINISHES WITH EQUAL OR SUPERIOR PROPERTIES MAY BE SUBSTITUTED AS THEY BECOME AVAILABLE.

CERTIFIED FOR:

JOB NAME: _____
 CUSTOMER : _____
 CUSTOMER P.O.: _____
 SALES ORDER: _____

MODEL LF4 1200-2800 LBS.
 SNUBBED ELASTOMERIC ISOLATOR



THE VMC GROUP
The Power of Together
 Bloomingdale, NJ 07403
 Houston, TX 77041

SCALE :
 NONE
 SHEET:
 3 OF 3



DRAWING NO.: _____ REVISION