



REV.	DESCRIPTION	DATE	BY

MODEL DESIGNATION	MAX. LOAD (LBS)	DEFL. (INS)	COLOR CODE
LPRH-150-ODD	150	0.5	YELLOW
LPRH-180-ODD	180	0.5	RED
LPRH-235-ODD	235	0.5	GREEN
LPRH-300-ODD	300	0.5	WHITE
LPRH-400-ODD	400	0.5	PURPLE
LPRH-520-ODD	520	0.4	BLUE



OTHER MATERIALS, COMPOUNDS, OR FINISHES WITH EQUAL OR SUPERIOR PROPERTIES MAY BE SUBSTITUTED AS THEY BECOME AVAILABLE.

**CERTIFIED FOR:**

JOB NAME: \_\_\_\_\_  
 CUSTOMER : \_\_\_\_\_  
 CUSTOMER P.O.: \_\_\_\_\_  
 SALES ORDER: \_\_\_\_\_

**MODEL LPRH 150-520 LBS. LOW PROFILE  
 NEOPRENE CEILING ISOLATED  
 ISOLATOR**




**THE VMC GROUP**  
*The Power of Together*  
 Bloomingdale, NJ 07403  
 Houston, TX 77041

SCALE :  
 NONE  
 SHEET:




DRAWING NO.: \_\_\_\_\_ REVISION


REV.	DESCRIPTION	DATE	BY




GEN. ASSY. W/ OPTIONS



6" LONG BOLT ASSY.



4" LONG BOLT ASSY.



BASIC HANGER ASSEMBLY

OTHER MATERIALS, COMPOUNDS, OR FINISHES WITH EQUAL OR SUPERIOR PROPERTIES MAY BE SUBSTITUTED AS THEY BECOME AVAILABLE.

**CERTIFIED FOR:**

JOB NAME: \_\_\_\_\_  
 CUSTOMER: \_\_\_\_\_  
 CUSTOMER P.O.: \_\_\_\_\_  
 SALES ORDER: \_\_\_\_\_

**MODEL LPRH 150-520 LBS. LOW PROFILE  
 NEOPRENE CEILING ISOLATED  
 ISOLATOR**



**THE VMC GROUP**  
*The Power of Together*  
 Bloomingdale, NJ 07403  
 Houston, TX 77041

SCALE:  
**NONE**

SHEET:




DRAWING NO.:

REVISION

REV.	DESCRIPTION	DATE	BY

						1	1	2		8	141562-1	COUPLING,REDUCER,ROD 1/2" - 3/8"
		1	1	2						7	141561-1	EYELET SOCKET, STRAIGHT
1										6	141151	BOLT, HEX. HD. 1/2-13NC X 6" LG. FULL THRD., (LOWER)
2	2									5A	141026	WSHR, FLAT 9/16 X 1 3/8 X 1/16 ,(LOWER) (1/2" STD.STL)
1	1									4A	141585	NUT, FULL HEX. 1/2"-13 NC-2B , (LOWER)
	1									3A	141119	BOLT, HEX. HD. 1/2-13NC X 4" LG. FULL THRD.,(LOWER)
6	4	0	A	B	C	D	A	B	C	D		
LOWER BOLT OPTION	EYELET OPTION			COUPLING OPTION				ITEM #	PART/ DWG. #	DESCRIPTION		



### OPTIONS / ACCESSORIES B.O.M.

(IN ADDITION TO TABLE 1 ASSEMBLY)

PART NUMBER EXAMPLE

LPRH -

NEOPRENE OPTION	LOWER BOLT OPTION	EYELET OPTION	COUPLING OPTION
150 = 150# 180 = 180# 235 = 235# 300 = 300# 400 = 400# 520 = 520#	0=NO BOLT 4=4"LONG 6=6"BOLT	A=TOP ONLY B=BOTTOM ONLY C=TOP & BOTTOM D=NONE	A=TOP ONLY B=BOTTOM ONLY C=TOP & BOTTOM D=NONE

5	141026	WSHR. FLAT 9/16 X 1 3/8 X 1/16 (1/2' STD. STL.)	2
4	141585	NUT , FULL HEX. 1/2-13NC	1
3	141119	BOLT, HEX HD. 1/2-13NC X 4 LG. FULL THRD.	1
2	770104-( )	RHDEX2 ELEMENT (RC COMPOUND)	1
1	240500-1	HANGER BOX ASSY.	1
ITEM #	PART #	DESCRIPTION	QTY.

PRODUCT NUMBERING SUFFIX

### TABLE 1-BASIC HANGER ASSY BOM

COMPLETE ASSY. REQ'D.

OTHER MATERIALS, COMPOUNDS, OR FINISHES WITH EQUAL OR SUPERIOR PROPERTIES MAY BE SUBSTITUTED AS THEY BECOME AVAILABLE.

**CERTIFIED FOR:**

JOB NAME: \_\_\_\_\_  
 CUSTOMER: \_\_\_\_\_  
 CUSTOMER P.O.: \_\_\_\_\_  
 SALES ORDER: \_\_\_\_\_

MODEL LPRH 150-520 LBS. LOW PROFILE  
 NEOPRENE CEILING ISOLATED  
 ISOLATOR



**THE VMC GROUP**  
 The Power of Together  
 Bloomingdale, NJ 07403  
 Houston, TX 77041

SCALE:

NONE

SHEET:



DRAWING NO.:

REVISION